*Brain Research*, 568 (1991) 357–358
Elsevier



# Author Index

Agulian, S., see Jiang, C., 159
Akaike, N., see Oyama, Y., 350
Åkeran, K.E.O., see Engblom, A.C., 55
Anderson, K.D. and Reiner, A., Immunohistochemical localization of DARPP-32 in striatal projection neurons and striatal interneurons: implications for the localization of $D_1$-like dopamine receptors on different types of striatal neurons, 235
Andorn, A.C., The low affinity component of [$^3$H]clonidine binding is absent in the prefrontal cortex of presumptive suicide victims, 276

Bardo, M.T., see Blanchard, D.C., 61
Bartfai, T., see Fisone, G., 279
Becker, D.P., see Katayama, Y., 294
Bennett, M.V.L., see Sáez, J.C., 265
Bereiter, D.A., see Lu, J., 152
Berretta, S., Bosco, G., Smecca, G. and Perciavalle, V., The cerebellopontine system: an electrophysiological study in the rat, 178
Berthoud, V.M., see Sáez, J.C., 265
Bianchi, A.L., see Núñez-Abades, P.A., 165
Blanchard, D.C., Cholvanich, P., Blanchard, R.J., Clow, D.W., Ronald P. Hammer Jr., Rowlett, J.K. and Bardo, M.T., Serotonin, but not dopamine, metabolites are increased in selected brain regions of subordinate male rats in a colony environment, 61
Blanchard, R.J., see Blanchard, D.C., 61
Blin, J., Ray, C.A., Chase, T.N. and Piercey, M.F., Regional cerebral glucose metabolism compared in rodents and humans, 215
Bosco, G., see Berretta, S., 178
Byrne, J.H., see Noel, F., 67

Carey, R.J., Chronic L-DOPA treatment in the unilateral 6-OHDA rat: evidence for behavioral sensitization and biochemical tolerance, 205
Carre, G.P. and Harley, C.W., Population spike facilitation in the dentate gyrus following glutamate to the lateral supramammillary nucleus, 307
Chance, W.T. and Fischer, J.E., Aphagic and adipsic effects of interleukin-1, 261
Chase, T.N., see Blin, J., 215
Cholvanich, P., see Blanchard, D.C., 61
Clow, D.W., Ronald P. Hammer Jr., Rowlett, J.K., see Blanchard, D.C., 61
Colwell, D.D., see Kavaliers, M., 173
Cusick, C.G., Nerve injury-induced depletion of tachykinin immunoreactivity in the somatosensory cortex of adult squirrel monkeys, 314

De Brabander, J.M., Van Eden, C.G. and De Bruin, J.P.C., Neuroanatomical correlates of sparing of function after neonatal medial prefrontal cortex lesions in rats, 24
De Bruin, J.P.C., see De Brabander, J.M., 24
Dermietzel, R., see Sáez, J.C., 265
Dermietzel, R., see Spray, D.C., 1
Dewar, D., see Ikeda, M., 303
Di Lullo, S.L. and Martin-Iverson, M.T., Presynaptic dopaminergic neurotransmission mediates amphetamine-induced unconditioned but not amphetamine-conditioned locomotion and defecation in the rat, 45
Dickinson-Anson, H., see Tomaz, C., 85
Dimlich, R.V.W., see Tomsig, J.L., 92
Dluzen, D., see Guan, X., 147

Eckland, D.J.A., Harbuz, M.S., Jessop, D.S. and Lightman, S.L., Corticotrophin-releasing factor and arginine vasopressin in the hypothalamo-hypophyseal portal blood of rats following high-dose glucocorticoid treatment and withdrawal, 311
Egan, R.A. and Vijayan, V.K., Fibronectin immunoreactivity in neural trauma, 330
Engblom, A.C., Holopainen, I. and Åkeran, K.E.O., Ethanol-induced $Cl^-$ flux in rat cerebellar granule cells as measured by a fluorescent probe, 55
Eskin, A., see Noel, F., 67
Etgen, A.M., see Fleischmann, A., 138

Fischer, J.E., see Chance, W.T., 261
Fisone, G., Bartfai, T., Nilsson, S. and Hökfelt, T., Galanin inhibits the potassium-evoked release of acetylcholine and the muscarinic receptor-mediated stimulation of phosphoinositide turnover in slices of monkey hippocampus, 279
Fleischmann, A., Vincent, P.A. and Etgen, A.M., Effects of non-competitive NMDA receptor antagonists on reproductive and motor behaviors in female rats, 138

Gillette, M.U., see Prosser, R.A., 185
Goldstein, B.D., see McCarson, K.E., 109
Gordon, F.J. and Leone, C., Non-NMDA receptors in the nucleus of the tractus solitarius play the predominant role in mediating aortic baroreceptor reflexes, 319
Gruenstein, E., see Tomsig, J.L., 92
Guan, X. and Dluzen, D., Castration reduces potassium-stimulated norepinephrine release from superfused olfactory bulbs of male rats, 147

Haddad, G.G., see Jiang, C., 159
Hamahashi, T., see Kamisaki, Y., 193
Harata, N., see Oyama, Y., 350
Harbuz, M.S., see Eckland, D.J.A., 311
Harley, C.W., see Carre, G.P., 307
Henderson, Z., Igielman, F. and Sherriff, F.E., Organisation of the visceral solitary tract nucleus in the ferret as defined by the distribution of choline acetyltransferase and nerve growth factor receptor immunoreactivity, 35
Henegar, J.R. and Maruniak, J.A., Quantification of the effects of long-term unilateral naris closure on the olfactory bulbs of adult mice, 230
Hicks, R.R. and Huerta, M.F., Differential thalamic connectivity of rostral and caudal parts of cortical area Fr2 in rats, 325
Hökfelt, T., see Fisone, G., 279
Holopainen, I., see Engblom, A.C., 55
Hu, G.-Y. and Storm, J.F., Excitatory amino acids acting on metabotropic glutamate receptors broaden the action potential in hippocampal neurons, 339
Huerta, M.F., see Hicks, R.R., 325

Igielman, F., see Henderson, Z., 35
Ikeda, K., see Otsuka, N., 335
Ikeda, M., Dewar, D. and McCulloch, J., Preservation of [$^{125}$I]galanin binding sites despite loss of cholinergic neurones to the hippocampus in Alzheimer's disease, 303
Itoh, T., see Kamisaki, Y., 193
Iturriaga, R. and Lahiri, S., Carotid body chemoreception in the absence and presence of $CO_2$-$HCO_3^-$, 253

Jessop, D.S., see Eckland, D.J.A., 311
Jiang, C., Agulian, S. and Haddad, G.G., $O_2$ tension in adult and neonatal brain slices under several experimental conditions, 159
Johnson, R.L., see Peterson, N.L., 15

Kadle, R., see Sáez, J.C., 265
Kamisaki, Y., Hamahashi, T., Okada, C.M. and Itoh, T., Clonidine inhibition of potassium-evoked release of glutamate and aspartate from rat cortical synaptosomes, 193
Katayama, Y., Tamura, T., Becker, D.P. and Tsubokawa, T., Inhibition of rapid potassium flux during cerebral ischemia in vivo with an excitatory amino acid antagonist, 294
Kavaliers, M. and Colwell, D.D., Sex differences in opioid and non-opioid mediated predator-induced analgesia in mice, 173
Kawamura, H., see Miyawaki, T., 101
Kershaw, T.R., see Marsden, K.M., 76
Kessler, J.A., see Spray, D.C., 1
Koerner, J.F., see Peterson, N.L., 15
Komatsu, K., see Miyawaki, T., 101
Kruk, Z.L., see OConnor, J.J., 123

Lahiri, S., see Iturriaga, R., 253

Lantos, P.L., see Marsden, K.M., 76
Leone, C., see Gordon, F.J., 319
Lepri, J.J., see Wirsig-Wiechmann, C.R., 289
Li, Y.-J., Xie, Y.-F. and Qiao, J.-T., Effects of intrathecal monoamine antagonists and naloxone on the descending inhibition of the spinal transmission of noxious input in rats: study with a new experimental model, 131
Lightman, S.L., see Eckland, D.J.A., 311
Lu, J. and Bereiter, D.A., Microinjections of norepinephrine within the superficial laminae of trigeminal subnucleus caudalis evoke increases in plasma adrenocorticotropin in the rat, 152

Marsden, K.M., Kershaw, T.R., Sinden, J.D. and Lantos, P.L., Survival and distribution of transplanted human IMR-32 neuroblastoma cells, 76
Martin-Iverson, M.T., see Di Lullo, S.L., 45
Maruniak, J.A., see Henegar, J.R., 230
McCarson, K.E. and Goldstein, B.D., Release of substance P into the superficial dorsal horn following nociceptive activation of the hindpaw of the rat, 109
McCulloch, J., see Ikeda, M., 303
McGaugh, J.L., see Tomaz, C., 85
Miguel-Hidalgo, J.-J., see Takatsuji, K., 223
Miller, R.F., see Peterson, N.L., 15
Miyawaki, T., Kawamura, H., Komatsu, K. and Yasugi, T., Chemical stimulation of the locus coeruleus: inhibitory effects on hemodynamics and renal sympathetic nerve activity, 101
Moreno, A.P., see Spray, D.C., 1

Nakadaira, K., see Sakaguchi, T., 299
Nicholson, B.J., see Sáez, J.C., 265
Nilsson, S., see Fisone, G., 279
Noel, F., Scholz, K.P., Eskin, A. and Byrne, J.H., Common set of proteins in *Aplysia* sensory neurons affected by an in vitro analogue of long-term sensitization training, 5-HT and cAMP, 67
Núñez-Abades, P.A., Pásaro, R. and Bianchi, A.L., Localization of respiratory bulbospinal and propriobulbar neurons in the region of the nucleus ambiguus of the rat, 165

Oonnor, J.J. and Kruk, Z.L., Frequency dependence of 5-HT autoreceptor function in rat dorsal raphe and suprachiasmatic nuclei studied using fast cyclic voltammetry, 123
Okada, C.M., see Kamisaki, Y., 193
Otsuka, N., Tomonaga, M. and Ikeda, K., Rapid appearance of $\beta$-amyloid precursor protein immunoreactivity in damaged axons and reactive glial cells in rat brain following needle stab injury, 335
Oyama, Y., Harata, N. and Akaike, N., Delayed potassium current and non-specific outward current in pyramidal neurones acutely dissociated from rat hippocampus, 350

Pásaro, R., see Núñez-Abades, P.A., 165
Peck, B.K. and Vanderwolf, C.H., Effects of raphe stimulation on hippocampal and neocortical activity and behaviour, 244
Peers, C., Effects of doxapram on ionic currents recorded in isolated type I cells of the neonatal rat carotid body, 116
Perciavalle, V., see Berretta, S., 178
Peterson, N.L., Thoreson, W.B., Johnson, R.L., Koerner, J.F. and Miller, R.F., Characterization of retinal and hippocampal L-AP4 receptors using conformationally constrained AP4 analogues, 15
Piercey, M.F., see Blin, J., 215
Prosser, R.A. and Gillette, M.U., Cyclic changes in cAMP concentration and phosphodiesterase activity in a mammalian circadian clock studied in vitro, 185

Qiao, J.-T., see Li, Y.-J., 131

Ray, C.A., see Blin, J., 215
Reiner, A., see Anderson, K.D., 235
Reppert, S.M., see Rivkees, S.A., 345
Rigor, B.M., see Schurr, A., 199
Rivkees, S.A. and Reppert, S.M., Appearance of melatonin receptors during embryonic life in Siberian hamsters (*Phodopus sungorous*), 345

Sáez, J.C., Berthoud, V.M., Kadle, R., Traub, O., Nicholson, B.J., Bennett, M.V.L. and Dermietzel, R., Pinealocytes in rats: connexin identification and increase in coupling caused by norepinephrine, 265
Sakaguchi, T. and Nakadaira, K., Interaction of glucose signals between the nucleus of the tractus solitarius and the portal vein area in the control of gastric acid secretion in rats, 299
Samson, W.K., Skala, K.D. and Steven Huang, F.-L., CNP-22 stimulates, rather than inhibits, water drinking in the rat: evidence for a unique biological action of the C-type natriuretic peptides, 285
Scholz, K.P., see Noel, F., 67
Schurr, A., West, C.A. and Rigor, B.M., Neurotoxicity of quinolinic acid and its derivatives in hypoxic rat hippocampal slices, 199
Sherriff, F.E., see Henderson, Z., 35
Shifman, M., The effect of gangliosides upon recovery of aspartate/glutamatergic synapses in striatum after lesions of the rat sensorimotor cortex, 323
Sinden, J.D., see Marsden, K.M., 76
Skala, K.D., see Samson, W.K., 285
Smecca, G., see Berretta, S], 178
Spray, D.C., Moreno, A.P., Kessler, J.A. and Dermietzel, R., Characterization of gap junctions between cultured leptomeningeal cells, 1
Steven Huang, F.-L., see Samson, W.K., 285
Storm, J.F., see Hu, G.-Y., 339

Takatsuji, K., Miguel-Hidalgo, J.-J. and Tohyama, M., Substance P-immunoreactive innervation from the retina to the suprachiasmatic nucleus in the rat, 223
Tamura, T., see Katayama, Y., 294
Thoreson, W.B., see Peterson, N.L., 15
Tohyama, M., see Takatsuji, K., 223
Tomaz, C., Dickinson-Anson, H. and McGaugh, J.L., Amygdala lesions block the amnestic effects of diazepam, 85
Tomonaga, M., see Otsuka, N., 335
Tomsig, J.L., Gruenstein, E. and Dimlich, R.V.W., Inhibition of lactate-induced swelling by dichloroacetate in human astrocytoma cells, 92
Traub, O., see Sáez, J.C., 265
Tsubokawa, T., see Katayama, Y., 294

Van Eden, C.G., see De Brabander, J.M., 24
Vanderwolf, C.H., see Peck, B.K., 244
Vijayan, V.K., see Egan, R.A., 330
Vincent, P.A., see Fleischmann, A., 138

West, C.A., see Schurr, A., 199
Wirsig-Wiechmann, C.R. and Lepri, J.J., LHRH-immunoreactive neurons in the pterygopalatine ganglia of voles: a component of the nervus terminalis?, 289

Xie, Y.-F., see Li, Y.-J., 131

Yasugi, T., see Miyawaki, T., 101